

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** *activa Tuff Pro*
- **Article number:** 33220 - 33.218
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**
  - SU21 Consumer uses: Private households / general public / consumers
  - SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Process category**
  - PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- **Environmental release category**
  - ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **Uses advised against** No further relevant information available.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
  - Hygienteknik Sverige AB
  - Långängsvägen 2
  - 721 32, Västerås
  - Sweden
  - fon: +46 21 104 100
  - fax: +46 21 104 105
  - mail: [info@hygienteknik.se](mailto:info@hygienteknik.se)
  - [www.hygienteknik.se](http://www.hygienteknik.se)
- **Further information obtainable from:** Safety Department
- **1.4 Emergency telephone number:**
  - 112 Giftinformation
  - under kontorstid 08-331231

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
  - The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*

(Contd. on page 2)

EU

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

**Trade name: activa Tuff Pro**

(Contd. of page 1)

**· Hazard-determining components of labelling:**

Isotridecanol, ethoxyliert (7-14 EO)

2-aminoethanol

**· Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

**· Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

**· Additional information:**

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), Orange juice oil. May produce an allergic reaction.

**· 2.3 Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****· 3.2 Chemical characterisation: Mixtures****· Description:** Mixture of substances listed below with nonhazardous additions.**· Dangerous components:**

CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36	2-butoxyethanol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	5 - < 10%
CAS: 9043-30-5 Polymer	Isotridecanol, ethoxyliert (7-14 EO) ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302	2.5 - < 5%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28	2-aminoethanol ⚠ Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 Aquatic Chronic 3, H412	1 - < 2.5%

(Contd. on page 3)

EU

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

**Trade name: activa Tuff Pro**

		(Contd. of page 2)
CAS: 8028-48-6 EINECS: 232-433-8 Reg.nr.: 01-2119493353-35	Orange juice oil Consisting of: 5989-27-5 (R)-p-mentha-1,8-diene ( $\geq 93\%$ ); 78-70-6 Linalool (< 1%)	0.5 - < 1%
	<ul style="list-style-type: none"> <li> Flam. Liq. 3, H226</li> <li> Asp. Tox. 1, H304</li> <li> Aquatic Chronic 2, H411</li> <li> Skin Irrit. 2, H315; Skin Sens. 1, H317</li> </ul>	
CAS: 55965-84-9 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	0 - < 0.0015%
	<ul style="list-style-type: none"> <li> Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331</li> <li> Skin Corr. 1C, H314; Eye Dam. 1, H318</li> <li> Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100)</li> <li> Skin Sens. 1A, H317</li> </ul>	
· <b>Regulation (EC) No 648/2004 on detergents / Labelling for contents</b>		
non-ionic surfactants, phosphates		<5%
perfumes, preservation agents (Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one with magnesium chloride and magnesium nitrate)		
· <b>Additional information:</b> For the wording of the listed hazard phrases refer to section 16.		

#### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Mouth respiratory protective device.  
See section 8 for personal protection information.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Dilute with plenty of water.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

Trade name: activa Tuff Pro

(Contd. of page 3)

- **6.3 Methods and material for containment and cleaning up:**  
Use neutralising agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:** Store cool and dry in tightly closed containers.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**111-76-2 2-butoxyethanol (5 - < 10%)**

IOELV	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 98 mg/m <sup>3</sup> , 20 ppm
	Skin

**141-43-5 2-aminoethanol (1 - < 2.5%)**

IOELV	Short-term value: 7.6 mg/m <sup>3</sup> , 3 ppm
	Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm
	Skin

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

**Trade name: activa Tuff Pro**

(Contd. of page 4)

**· Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

Wear protective gloves according to EN 374.

Skin protection creams do not provide as effective protection as protective gloves. Therefore, suitable protective gloves should be preferred as much as possible.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Use protective gloves. The glove material must be sufficiently impermeable and resistant to the substance used. Check for leaks before use. Pre-clean gloves before removing, then keep well ventilated. Pay attention to skin care.

Skin protection creams do not provide adequate protection against this substance.

Completely unsuitable are cloth or leather gloves.

Suitable gloves are made from the following materials (breakthrough time > = 8 hours):

Butyl rubber - butyl (0.5 mm)

Fluororubber - FKM (0.4 mm)

Not suitable due to degradation, strong swelling or low penetration time are the following glove materials:

Natural rubber / natural latex - NR

Polychloroprene - CR

Nitrile rubber / nitrile latex - NBR

Polyvinyl chloride - PVC

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**

Not required in normal use



Tightly sealed goggles

**· Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

**Form:** Fluid

**Colour:** Yellow

**· Odour:** Lemon

**· Odour threshold:** Not determined.

**· pH-value at 20 °C:** 10 - 11

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

Trade name: activa Tuff Pro

(Contd. of page 5)

· <b>Change in condition</b> Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C
· <b>Flash point:</b>	> 60 °C
· <b>Flammability (solid, gas):</b>	Not applicable.
· <b>Ignition temperature:</b>	240 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b> Lower:	Not determined.
Upper:	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density at 20 °C:</b>	1.029 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b> Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Solvent content:</b> Organic solvents:	6.0 %
Water:	85.7 %
VOC (EC)	6.00 %
· <b>Solids content:</b>	3.9 %
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

EU

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

**Trade name: activa Tuff Pro**

(Contd. of page 6)

**· LD/LC50 values relevant for classification:****8028-48-6 Orange juice oil**

Oral LD50 5,700 mg/kg (rat)

Dermal LD50 5,000 mg/kg (rabbit)

**· Primary irritant effect:****· Skin corrosion/irritation**

Causes skin irritation.

**· Serious eye damage/irritation**

Causes serious eye damage.

**· Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**· CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****· Germ cell mutagenicity** Based on available data, the classification criteria are not met.**· Carcinogenicity** Based on available data, the classification criteria are not met.**· Reproductive toxicity** Based on available data, the classification criteria are not met.**· STOT-single exposure** Based on available data, the classification criteria are not met.**· STOT-repeated exposure** Based on available data, the classification criteria are not met.**· Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****· 12.1 Toxicity****· Aquatic toxicity:****8028-48-6 Orange juice oil**

EC50 0.67 mg/kg (daphnia) (OECD 202)

**· 12.2 Persistence and degradability** No further relevant information available.**· 12.3 Bioaccumulative potential** No further relevant information available.**· 12.4 Mobility in soil** No further relevant information available.**· Additional ecological information:****· General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

**· 12.5 Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· 12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****· 13.1 Waste treatment methods****· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**· Waste disposal key:**

The waste code numbers are since 1.1.1999 not only product but essentially

Application-specific. The valid application for the waste code number can be found in the European Waste Catalogue.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

Trade name: activa Tuff Pro

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                                    | Void            |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, ADN, IMDG, IATA</b>                      | Void            |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void            |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void            |
| · <b>14.5 Environmental hazards:</b>  | Not applicable. |
| · <b>14.6 Special precautions for user</b>  | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>            | Not applicable. |
| · <b>UN "Model Regulation":</b>   | Void            |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Isotridecanol, ethoxyliert (7-14 EO)  
2-aminoethanol
- **Hazard statements**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.
- **Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P260 Do not breathe mist/vapours/spray.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is included.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

(Contd. on page 9)

EU



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

**Trade name: activa Tuff Pro**

(Contd. of page 8)

- **National regulations:**
- **Information about limitation of use:**  
*Observe employment restrictions for children and adolescents according to Directive 94/33 / EC and the corresponding national regulations.*
- **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**

- H226 Flammable liquid and vapour.*
- H301 Toxic if swallowed.*
- H302 Harmful if swallowed.*
- H304 May be fatal if swallowed and enters airways.*
- H311 Toxic in contact with skin.*
- H312 Harmful in contact with skin.*
- H314 Causes severe skin burns and eye damage.*
- H315 Causes skin irritation.*
- H317 May cause an allergic skin reaction.*
- H318 Causes serious eye damage.*
- H319 Causes serious eye irritation.*
- H331 Toxic if inhaled.*
- H332 Harmful if inhaled.*
- H335 May cause respiratory irritation.*
- H400 Very toxic to aquatic life.*
- H410 Very toxic to aquatic life with long lasting effects.*
- H411 Toxic to aquatic life with long lasting effects.*
- H412 Harmful to aquatic life with long lasting effects.*

- **Classification according to Regulation (EC) No 1272/2008**

*The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.*

- **Department issuing SDS:** *Safety department.*

- **Contact:** *Product Safety Department*

- **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*
- IMDG: International Maritime Code for Dangerous Goods*
- IATA: International Air Transport Association*
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals*
- EINECS: European Inventory of Existing Commercial Chemical Substances*
- ELINCS: European List of Notified Chemical Substances*
- CAS: Chemical Abstracts Service (division of the American Chemical Society)*
- VOC: Volatile Organic Compounds (USA, EU)*
- LC50: Lethal concentration, 50 percent*
- LD50: Lethal dose, 50 percent*
- PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative*
- Flam. Liq. 3: Flammable liquids – Category 3*
- Acute Tox. 3: Acute toxicity - oral – Category 3*
- Acute Tox. 4: Acute toxicity - oral – Category 4*
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B*
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C*
- Skin Irrit. 2: Skin corrosion/irritation – Category 2*
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1*
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*
- Skin Sens. 1: Skin sensitisation – Category 1*
- Skin Sens. 1A: Skin sensitisation – Category 1A*
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 04.12.2019

Version number 2.02

Revision: 03.12.2019

**Trade name: activa Tuff Pro**

(Contd. of page 9)

*Asp. Tox. 1: Aspiration hazard – Category 1**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2**Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3***• Sources***Regulations**REACH Regulation (EC) No 1907/2006**CLP Regulation (EC) No. 1272/2008**Regulation (EC) No 648/2004 on detergents**Internet**1 <https://www.baua.de>**2 <https://dguv.de/ifa/stoffdatenbank>**3 <https://www.gischem.de>**4 <https://echa.europa.eu/en/candidate-list-table>**5 <http://gestis.itrust.de>***• \* Data compared to the previous version altered.**

EU